



Laboratorio di Tecnologie dell'Informazione

Ing. Marco Bertini
bertini@dsi.unifi.it
<http://www.dsi.unifi.it/~bertini/>




Building a “Hello world” with Eclipse



Use the project wizard

- File > New > C++ Project
- Select the “Executable” type: Eclipse will manage automatically the Makefile
- The Makefile project instead requires that the user manages the Makefile (though Eclipse can create a sample one)





Add a .cpp and .h files

- Add, for example a .h file that contains a function to greet a user, given his name, and add the prototype in the include
- if the include is generated by Eclipse, it will provide automatically the #define guards

```
/*
 * Greeter.h
 *
 * Created on: 26-feb-2009
 * Author: bertini
 */

#ifndef GREETER_H_
#define GREETER_H_

#include <string>

void greet(std::string name);

#endif /* GREETER_H_ */
```



Compile

- Let's say the code has been written in the .cpp (including all the includes required, e.g. iostream and the greeter.h): compile using Project > Build project
- Check the compile errors (shown in the console panel and in the problems panel)

```
C-Build [Test1]

**** Build of configuration Debug for project Test1 ****

make all
Building file: ../src/Greeter.cpp
Invoking: GCC C++ Compiler
g++ -O0 -g3 -Wall -c -fmessage-length=0 -MMD -MP -MF"src/Greeter.d" -MT"src/Greeter.d" -o"src/Greeter.o" "../src/Greeter.cpp"
../src/Greeter.cpp:12: error: variable or field 'greet' declared void
../src/Greeter.cpp:12: error: 'int greet' redeclared as different kind of symbol
../src/Greeter.h:13: error: previous declaration of 'void greet(std::string)'
../src/Greeter.cpp:12: error: 'string' was not declared in this scope
make: *** [src/Greeter.o] Error 1
```



Debug

- Don't panic
- Start reading (carefully) the messages from the first to the last. Solve the first errors, perhaps they have an influence on the others.
- In the example the first error is in the .cpp



Debug - cont.

```
1/*
2 * Greeter.cpp
3 *
4 * Created on: 26-feb-2009
5 * Author: bertini
6 */
7
8#include "Greeter.h"
9
10#include <iostream>
11
12void greet(string name) {
13    std::cout << name << std::endl;
14}
15
```

Problems Tasks Console Properties

C-Build [Test1]

```
**** Build of configuration Debug for project Test1 ****
make all
Building file: ../src/Greeter.cpp
Invoking: GCC C++ Compiler
g++ -O0 -g3 -Wall -c -fmessage-length=0 -MMD -MP -MF"src/Greeter.d" -MT"sr
Greeter.o" "../src/Greeter.cpp"
../src/Greeter.cpp:12: error: variable or field 'greet' declared void
../src/Greeter.cpp:12: error: 'int greet' redeclared as different kind of
../src/Greeter.h:13: error: previous declaration of 'void greet(std::strin
../src/Greeter.cpp:12: error: 'string' was not declared in this scope
make: *** [src/Greeter.o] Error 1
```

Eclipse shows where there's a problem

Read the message: the declaration does not match the prototype; the string was not declared



Debug - cont.

- Correct the error: in this case it was necessary to add `std::` to `string` (we are not using “`using namespace std;`” in this file !)
- Build again to check the correction



The screenshot shows an IDE window with the following tabs: `makefile`, `Test1.cpp`, `Greeter.h`, and `Greeter.cpp`. The `Greeter.cpp` file is active and contains the following code:

```
1/*
2 * Greeter.cpp
3 *
4 * Created on: 26-feb-2009
5 * Author: bertini
6 */
7
8#include "Greeter.h"
9
10#include <iostream>
11
12void greet(std::string name) {
13    std::cout << name << std::endl;
14}
15
```

The IDE interface includes a bottom panel with tabs for `Problems`, `Tasks`, `Console`, and `Properties`. The `Console` tab is selected and displays the following build output:

```
C-Build [Test1]
Finished building: ../src/Greeter.cpp


Building file: ../src/Test1.cpp
Invoking: GCC C++ Compiler
g++ -O0 -g3 -Wall -c -fmessage-length=0 -MMD -MP -MF"src/Test1.d" -MT"src
../src/Test1.cpp"
Finished building: ../src/Test1.cpp

Building target: Test1
Invoking: MacOS X C++ Linker
g++ -o "Test1" ../src/Greeter.o ../src/Test1.o
Finished building target: Test1
```



Run the program

- Use the menu Run > Run as > Local C/C++ application. Later on the program will appear in the Run History





Some style guidelines

- There are a plethora of C++ coding style recommendations, sometimes even contradictory.
- Two very good recommendations:
 1. Any violation to the guidelines is allowed if it enhances readability.
 2. The rules can be violated if there are strong personal objections against them.



Naming conventions

- Names representing types must be in mixed case starting with upper case: follow this rule when writing classes.
- Variable names must be in mixed case starting with lower case (like Java).
- Names representing methods or functions must be verbs and written in mixed case starting with lower case (like Java).



Naming conventions - cont.

- Names representing namespaces should be all lowercase.
- All names should be written in English.



Files

- C++ header files should have the extension `.h` (preferred) or `.hpp`. Source files can have the extension `.c++`, `.C`, `.cc` or `.cpp`.
- A class should be declared in a header file and defined in a source file where the name of the files match the name of the class.
- Header files must contain an include guard.
- Include statements must be located at the top of a file only.